

AMENDMENT TRANSMITTAL LETTER

Docket No.
63116-00006USPT

Application No.
10/663225

Filing Date
September 16, 2003

Examiner
C. A. Marmor

Art Unit
3736

Applicant(s): Kenneth R. Stott et al.

Invention: USER INTERFACE FOR AUTOMATED DIAGNOSTIC HEARING TEST

TO THE COMMISSIONER FOR PATENTS

Transmitted herewith is an amendment in the above-identified application.

The fee has been calculated and is transmitted as shown below.

CLAIMS AS AMENDED					
	Claims Remaining After Amendment	Highest Number Previously Paid	Number Extra Claims Present	Rate	
Total Claims	50	- 50 =		x	
Independent Claims	3	- 3 =		x	
Multiple Dependent Claims (check if applicable) <input type="checkbox"/>					
Other fee (please specify):					
TOTAL ADDITIONAL FEE FOR THIS AMENDMENT:					0.00

☐ Large Entity

☒ Small Entity

☒ No additional fee is required for this amendment.

☐ Please charge Deposit Account No. _____ in the amount of \$ _____.
A duplicate copy of this sheet is enclosed.


☐ A check in the amount of \$ _____ to cover the filing fee is enclosed.

☐ Payment by credit card. Form PTO-2038 is attached.

☒ The Director is hereby authorized to charge and credit Deposit Account No. 10-0447
as described below. A duplicate copy of this sheet is enclosed.

☒ Credit any overpayment.

☒ Charge any additional filing or application processing fees required under 37 CFR 1.16 and 1.17.


Daniel G. Nguyen
Attorney Reg. No.: 42,933

Dated: July 22, 2005

JENKENS & GILCHRIST, A PROFESSIONAL CORPORATION
5 Houston Center
1401 McKinney, Suite 2600
Houston, Texas 77010
(713) 951-3354



IRW

PTO/SB/92 (09-04)

Approved for use through 07/31/2006. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

Application No. (if known): 10/663225

Attorney Docket No.: 63116-00006USPT

Certificate of Mailing under 37 CFR 1.8

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to:

MS Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

on July 22, 2005
Date


Signature

Gwen J. Landry-Witt

Typed or printed name of person signing Certificate

Registration Number, if applicable

(713) 286-2041

Telephone Number


Note: Each paper must have its own certificate of mailing, or this certificate must identify each submitted paper.

Amendment in Response to Non-Final Office Action (49 pages)
Amendment Transmittal (1 page)
Certificate of Mailing (1 page)
Postcard


I hereby certify that this correspondence is being deposited with the U.S. Postal Service with sufficient postage as First Class Mail, in an envelope addressed to: MS Amendment, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on the date shown below.

Dated: July 22, 2005

Signature:



Docket No.: 63116-00006USPT
(PATENT)



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:
Kenneth R. Stott et al.

Application No.: 10/663225

Confirmation No.: 2119

Filed: September 16, 2003

Art Unit: 3736

For: USER INTERFACE FOR AUTOMATED
DIAGNOSTIC HEARING TEST

Examiner: C. A. Marmor

RESPONSE TO NOTICE OF NON-COMPLIANT AMENDMENT

MS Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

INTRODUCTORY COMMENTS

In response to the Office Action dated October 19, 2004 and the Notice of Non-Compliant Amendment dated June 23, 2005, please amend the above-identified U.S. patent application as follows:

Amendments to the Specification begin on page 2 of this paper.

Amendments to the Claims are reflected in the listing of claims which begins on page 8 of this paper.

Amendments to the Drawings begin on page 16 of this paper and include both an attached replacement sheet and an annotated sheet showing changes.

Remarks/Arguments begin on page 17 of this paper.

An **Appendix** including an amended drawing figure is attached following page 22 of this paper.